RNAV (RNP) Y RWY 31L
PALM SPRINGS INTL (PSP)

APP CRS	Rwy ldg	8500
309°	TDZE	430
	Apt Elev	477

RNP AR APCH.

Missed approach requires minimum climb of 340′ per NM to 3000. For uncompensated Baro-VNAV systems, procedure NA below 2°C or above 54°C.

MISSED APPROACH: Climb to 1800, then climbing right turn to 4000 direct TRM VORTAC and hold.

ATIS	SOCAL APP CON	PALM SPRINGS TOWER★	GND CON	CLNC DEL	UNICOM
124.65	126.7 370.95 135.275 251.1	119.7 (CTAF) Ⓛ 377.05	121.9	128.35	122.95





CATEGORY	A	B	C	D
RNP 0.30 DA	734-1 304 (300-1)			

AUTHORIZATION REQUIRED



HIRL Rwy 13R-31L Ⓛ
MIRL Rwy 13L-31R
REIL Rwys 13R and 31L Ⓛ
REIL Rwys 13L and 31R

APP CRS	Rwy ldg	6857
130°	TDZE	451
	Apt Elev	476

RNAV (RNP) Z RWY 13R
PALM SPRINGS INTL (PSP)

RNP AR APCH, RF required.

T A For uncompensated Baro-VNAV systems, procedure NA below 1°C or above 54°C.

MISSED APPROACH: Climb to 900 then climbing left turn to 4000 direct TRM VORTAC and hold.

ATIS	SOCAL APP CON	PALM SPRINGS TOWER★	GND CON	CLNC DEL	UNICOM
124.65	126.7 370.95 135.275 251.1	119.7 (CTAF) L 377.05	121.9	128.35	122.95



ELEV 476 D TDZE 451



HIRL Rwy 13R-31L L
MIRL Rwy 13L-31R
REIL Rwys 13R and 31L L
REIL Rwys 13L and 31R



CATEGORY	A	B	C	D
RNP 0.17 DA	812-1¼ 361 (400-1¼)			
RNP 0.30 DA	882-1½ 431 (500-1½)			

AUTHORIZATION REQUIRED

SW-3, 22 FEB 2024 to 21 MAR 2024

SW-3, 22 FEB 2024 to 21 MAR 2024

RNAV (GPS) Z RWY 31L

PALM SPRINGS INTL (PSP)

WAAS CH 50244 W31A	APP CRS 300°	Rwy ldg 8500 TDZE 429 Apt Elev 476

RNP APCH-GPS.

Circling NA southwest of Rwy 13R-31L.

MISSED APPROACH: Climb to 900 then climbing right turn to 4000 direct TANFY and track 107° to BANPE and track 144° to TRM VORTAC and hold.
*Missed approach requires minimum climb of 355 feet per NM to 2100.

ATIS	SOCAL APP CON	PALM SPRINGS TOWER★	GND CON	CLNC DEL	UNICOM
124.65	126.7 370.95 135.275 251.1	119.7 (CTAF) L 377.05	121.9	128.35	122.95





ELEV 476 | D | TDZE 429



HIRL Rwy 13R-31L L
MIRL Rwy 13L-31R
REIL Rwys 13R and 31L L
REIL Rwys 13L and 31R

CATEGORY	A	B	C	D
LP MDA	700-1 271 (300-1)	780-1 351 (400-1)	1320-2½ 891 (900-2½)	
LNAV MDA*	780-1 351 (400-1)			
LNAV MDA	920-1 491 (500-1)	1180-1¼ 751 (800-1¼)	1440-3 1011 (1000-3)	
C CIRCLING	920-1 444 (500-1)	1180-1¼ 704 (800-1¼)	1440-3 964 (1000-3)	1760-3 1284 (1300-3)

SW-3, 22 FEB 2024 to 21 MAR 2024

VOR-B
PALM SPRINGS INTL (PSP)

VORTAC TRM	APP CRS	Rwy ldg	N/A
116.2 Chan **109**	**292°**	TDZE	**N/A**
		Apt Elev	**476**

Circling NA southwest of Rwy 13R-31L.

MISSED APPROACH: Climbing right turn to 4000 direct PSP VORTAC and on PSP R-124 and TRM R-304 to TRM VORTAC and hold.

ATIS	SOCAL APP CON	PALM SPRINGS TOWER★	GND CON	CLNC DEL	UNICOM
124.65	**126.7 370.95** **135.275 251.1**	**119.7** (CTAF) L **377.05**	**121.9**	**128.35**	**122.95**





HIRL Rwy 13R-31L L
MIRL Rwy 13L-31R
REIL Rwys 13R and 31L L
REIL Rwys 13L and 31R

FAF to MAP 6 NM					
Knots	60	90	120	150	180
Min:Sec	6:00	4:00	3:00	2:24	2:00



CATEGORY	A	B	C	D
CIRCLING	2100-1¼ 1624 (1700-1¼)	2100-1½ 1624 (1700-1½)	2100-3 1624 (1700-3)	